

CUSTOMER PRODUCT ID:
ORDER NO: [REDACTED]
SPEC/REQ:
MAIN/POINT: 23 /
CUST RL NO:
LUCENT RL NO: 444424
CABLE LOT NO: LU099682

LUCENT TECHNOLOGIES
COMPOSITE CABLE LOSS SUMMARY
(Fiber Loss Values in db/km)
Reporting on Product Type "AB"

PAGE: 4
ANALYZED: Jun 15 2001 7:34PM
DELIVERY DATE:
SHIP DATE:
CABLE CODE: NCAS480-864
CABLE LENGTH: 9906 Ft/ 3019.39 m
ORDER MIFL: 040-XXX/030-XXX
MEAS_TPD: 033-XXX/019-XXX
ISE MARKING: 30
OSE MARKING: 9936

CUST ORDER: [REDACTED]
CUST JOB: [REDACTED]

MAIL PAPERS TO: [REDACTED]

CORE TUBE POS/COLOR: 1/CL

WAVE LGTH	ACCU RIBBON	FIBER PATH IDENTIFICATION												AVG LOSS	
		BL 01/13	OR 02/14	GR 03/15	BR 04/16	SL 05/17	WH 06/18	RD 07/19	BK 08/20	YL 09/21	VI 10/22	RS 11/23	AQ 12/24		
1550	23-23	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
1550	23-23	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
1550	24-24	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
1550	24-24	0.19	0.19	0.19	0.18	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.18	0.19
1550	25-25	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
1550	25-25	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
1550	26-26	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
1550	26-26	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
1550	27-27	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.20	0.19	0.19	0.19	0.19	0.19
1550	27-27	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
1550	28-28	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
1550	28-28	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.18	0.19
1550	29-29	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.18	0.19
1550	29-29	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.18	0.18	0.19
1550	30-30	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.18	0.19	0.19
1550	30-30	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.18	0.19	0.19
1550	31-31	0.19	0.18	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.18	0.19	0.19
1550	31-31	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.18	0.18	0.19
1550	32-32	0.18	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
1550	32-32	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
1550	33-33	0.18	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
1550	33-33	0.18	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.18	0.19	0.19	0.19	0.19
1550	34-34	0.19	0.19	0.19	0.19	0.18	0.19	0.18	0.19	0.19	0.19	0.19	0.19	0.19	0.19
1550	34-34	0.19	0.18	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.18	0.19	0.19	0.19	0.18
1550	35-35	0.19	0.19	0.18	0.19	0.18	0.19	0.18	0.19	0.19	0.19	0.19	0.19	0.19	0.19
1550	35-35	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.18	0.18	0.19	0.18	0.19	0.19	0.19
1550	36-36	0.21	0.18	0.18	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
1550	36-36	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.18	0.19	0.19	0.19	0.20	0.19

* THANK YOU FOR YOUR ORDER *
* THIS CABLE HAS PASSED FINAL INSPECTION AND EVALUATION. *
* WE HAVE DONE OUR BEST TO INSURE YOUR SATISFACTION. IF YOU HAVE ANY *
* QUESTIONS, PROBLEMS, OR COMMENTS, PLEASE CALL 1 (888) 342 - 3743 *

CUSTOMER PRODUCT ID:
 ORDER NO: [REDACTED]
 SPEC/REQ: [REDACTED]
 MAIN/POINT: 23 /
 CUST RL NO:
 LUCENT RL NO: 444424
 CABLE LOT NO: L0D99682

LUCENT TECHNOLOGIES
 COMPOSITE CABLE LOSS SUMMARY
 (Fiber Loss Values in db/km)
 Reporting on Product Type "TT"

PAGE: 5
 ANALYZED: Jun 15 2001 7:34PM
 DELIVERY DATE:
 SHIP DATE:
 CABLE CODE: NCAS480-864
 CABLE LENGTH: 9906 ft/ 3019.39 m
 ORDER MIFL: 000-XXX/025-XXX
 MEAS_TPD: 033-XXX/019-XXX
 ISE MARKING: 30
 OSE MARKING: 9936

CUST ORDER: [REDACTED]
 CUST JOB: [REDACTED]

MAIL PAPERS TO: [REDACTED]

CORE TUBE POS/COLOR: 1/CL

WAVE LGTH	ACCU RIBBON	FIBER PATH IDENTIFICATION												AVG LOSS			
		BL 01/13	OR 02/14	GR 03/15	RR 04/16	SL 05/17	WH 06/18	RD 07/19	RK 08/20	YL 09/21	VF 10/22	RS 11/23	AQ 12/24				
1310	1-01	0.35	0.35	0.34	0.36	0.35	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.33
1310	1-01	0.35	0.36	0.36	0.35	0.35	0.35	0.36	0.36	0.37	0.35	0.36	0.36				0.33
1310	2-02	0.38	0.37	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.35	0.37	0.36				0.33
1310	2-02	0.36	0.37	0.35	0.36	0.36	0.36	0.35	0.36	0.36	0.36	0.36	0.36				0.33
1550	1-01	0.23	0.21	0.20	0.21	0.21	0.21	0.21	0.21	0.21	0.20	0.20	0.21				0.19
1550	1-01	0.20	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.20	0.21	0.22				0.19
1550	2-02	0.23	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21				0.19
1550	2-02	0.21	0.21	0.20	0.21	0.21	0.21	0.20	0.21	0.21	0.21	0.21	0.22				0.19

 * THANK YOU FOR YOUR ORDER *
 * THIS CABLE HAS PASSED FINAL INSPECTION AND EVALUATION. *
 * WE HAVE DONE OUR BEST TO INSURE YOUR SATISFACTION. IF YOU HAVE ANY *
 * QUESTIONS, PROBLEMS, OR COMMENTS, PLEASE CALL 1 (888) 342 - 3743 *
